



S700

AUTOMATIC BACK POCKET
HEMMING 2 NEEDLE
CHAIN STITCH UNIT



[▶ know more >](#)





S700

AUTOMATIC BACK POCKET HEMMING 2 NEEDLE CHAIN STITCH UNIT

The S700 is an automatic double needle chain stitch pocket hemming unit. The unit can reach a formidable level of efficiency, supplying more sewing lines in a modular production concept. The innovative transport system grants high flexibility with easy and fast adjustments when changing fabric and thickness, without the need to open the unit.



QUALITY



EFFICIENCY





EASY
HANDLING

FEATURES

- **Air compressed economizer:** working ONLY when chain cutter is activated
- **Thread breakage sensor:** to prevent pockets failure while working
- **Automatic thread trimmer:** for a precise cut and high efficiency
- **Adjustable folder:** maximum flexibility and cost saving
- **One leg adjustable stand:** comfort optimization without any technical intervention
- **Innovative pneumatic transport system patented:** easy adjustments for different fabric thickness
- **Control panel** to adjust chains at beginning and end of the pocket
- **Easy maintenance** with air pressure gun included
- **Rotating storage disk:** it can contain up to 600 pocket and while unit is working the disk full of pockets can be replaced in 5 seconds with an empty one (supplied optionally)
- **Standard needle gauge:** 1/4" (6.4 mm)
- **Optional needle gauges:** 3/16" (4.8 mm) - 9/32" (7.2 mm) - 3/8" (9.6 mm) - 1/2" (12.7 mm 3 needles)


Sewing Head	Sewing Speed	AVG Pocket per Hour	Stitch Length
Vi.Be.Mac. 2CS	3600 rpm	1800/2000	0.9 - 5 mm
Power Requirement	Machine Motor	Control Box	Air Consumption
220 V 50/60 Hz	XCG 554 20Y - 550W	XCG MFY 2005	3 L/min

The accessories described here may not be included in the price of the machine. Please refer to the commercial documents for information on prices and conditions.



Innovative pneumatic system

High productivity with no more wave effect or hem arching problems on denim fabrics



Adjustable belt and folder

Both the devices can be adjusted according to fabric thickness for cost saving and easy setup on different styles



Programmable cut

The automatic cut at beginning and at the end is programmable with a specific control panel

FOLLOW US



CONTACT US



VI.BE.MAC. S.p.A.

Società soggetta a direzione e coordinamento di Jack Europe S.à.r.l.

Via Monte Pastello, 7/i - 37057 San Giovanni Lupatoto (VR), Italy

vibemac@vbm-grp.com - sales@vbm-grp.com - customer-care@vbm-grp.com

Tel. [+39 045 8778151](tel:+390458778151) / [8778152](tel:+390458778152)



www.vibemac.com

