

# VS2261HP

3 NEEDLE CHAIN STITCH  
FEED OF THE ARM UNIT



▶ video & more >



**VI.BE.MAC.**

## 3 NEEDLE CHAIN STITCH FEED OF THE ARM UNIT

# VS2261HP



FAST



QUALITY



OPERATOR FRIENDLY

The iconic V2261HP is now available as model VS2261HP with new proposals.

The unit is a feed of the arm unit 3 needle chain stitch, with the most famous and widespread FOA sewing head shape in the world market.

This machine is particularly suitable to sew back yoke, back rise, inseam and out seams, plus top stitch operations. VS2261HP can work at 4999 rpm thanks to several outstanding features, like oil feeding lubrication, puller device and a special sensor for the Dynamic Pressure presser foot Control (DCP technology, PATENTED).

### ▷ ZEROMAX PULLER

The special puller grants very fast feeding and perfect matching between the sewn parts

### ▷ CUTTING SYSTEM

The single pneumatic cutting system allows to reduce air consumption and blade wear

### ▷▷ DCP (DYNAMIC CONTROL PRESSURE) PATENTED TECHNOLOGY

Thanks to a special sensor the skip stitching troubles also on double thickness (crotch) are avoided

## TECHNICAL SPECIFICATIONS

Max Sewing Machine Speed: 4999 rpm

Stitching Length: from 0.9 to 4.5 mm

Standard Needle Gauge: 1/4" (6.4 mm)

Sewing Head: Vi.Be.Mac. 3 needle CS

Control Box: XCG MFY 2007

Sewing Machine Motor:

Mitsubishi XCG 754 20Y - 750 W

Power Supply Voltage:

220 V Single-Phase 50/60 Hz

Air Consumption: 3 L/min




## NEEDLE GAUGES


- › Standard needle gauge: 1/4" (6.4 mm)
- › Optional needle gauges (3 needles): 9/32" (7.2 mm) - 5/16" (8 mm)  
3/8" (9.5 mm) - 3/8" (1/4" + 1/8")
- › Optional needle gauges (2 needles): 3/16" (4.8 mm) - 7/32" (5.6 mm)

## FEATURES

- ✓ Large range of needle gauges available
- ✓ New design of the stand: with a special cylinder inside the column that makes machine floating for easy adjustment in height
- ✓ Great flexibility: different needle gauges grant maximum flexibility, the machine is provided to sew heavy materials but it is also possible to modify it by purchasing the light fabric kit




back yoke



back rise



outseam




inseam




top stitch

GET IN TOUCH



FOLLOW OUR SOCIALS



**VI.BE.MAC.**



**VI.BE.MAC. S.p.A.**

**Società soggetta a direzione e coordinamento di Jack Europe S.à.r.l.**

Via Monte Pastello, 7/i - 37057 San Giovanni Lupatoto (VR), Italy

[vibemac@vbm-grp.com](mailto:vibemac@vbm-grp.com) - [sales@vbm-grp.com](mailto:sales@vbm-grp.com) - [customercare@vbm-grp.com](mailto:customercare@vbm-grp.com)

Tel. [+39 045 8778151](tel:+390458778151) / [8778152](tel:+390458778152)



[www.vibemac.com](http://www.vibemac.com)

